

Page 1/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML Versionen
- · Article number: BR0,50TSD; BR0,50TSPOWER
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services,
- craftsmen)

#### · Product category

- PC2 Adsorbents
- PC14 Metal surface treatment products
- PC24 Lubricants, greases, release products

#### · Process category

- PROC7 Industrial spraying
- PROC11 Non industrial spraying
- PROC17 Lubrication at high energy conditions in metal working operations
- PROC18 General greasing /lubrication at high kinetic energy conditions

#### **Environmental release category**

- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

## Application of the substance / the mixture

Polishing agent/ Burnishing compound

Corrosion inhibitors

Penetrating oil

Lubricant

#### · 1.3 Details of the supplier of the safety data sheet

### Manufacturer/Supplier:

BRUNOX Korrosionsschutz GmbH Adlzreiterstrasse 13, 85051 Ingolstadt Postfach 100127, 85001 Ingolstadt

Tel. + 49/ (0) 841 961 29 04 Fax + 49/ (0) 841 961 29 13

E-mail: office@brunox.com

UFI info / E-mail: ufi@brunox.com

www.brunox.de

BRUNOX AG

Tunnelstrasse 6

CH - 8732 Neuhaus/SG

Tel. +41/ (0)55 285 80 80

Fax +41/ (0)55 285 80 81

E-mail: office@brunox.com



Page 2/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 1)

www.brunox.swiss

UFI info / E-mail: ufi@brunox.com

#### Further information obtainable from:

Abteilung Produktsicherheit / Product Safety Department:

Tel. - Switzerland: +41/ (0)55 285 80 80 Tel. - Germany: +49 / (0)841 961 29 04

Mo - Do / Mon - Thu: 08:00 - 16:00 Uhr

Fr / Fri: 08:00 - 12:00 Uhr

#### · 1.4 Emergency telephone number:

Toxikologisches Informationszentrum CH - 8030 Zürich, Freiestrasse 16

Tel. +41/ 044 251 51 51

Notruf - CH, STIZ : 145 Notruf - D - : Giftnotrufzentrale 030 19240 Notruf - BE - : 070 -245 245 EUROPÄISCHE NOTRUFNR. : 112

Notruf - GB -: 844 892 0111

Notruf - IE - : + 353 1 837 9964 (medical professionals); + 353 1 809 2166 (public)

Notruf - IS -: + 354 543 22 22

Notruf - JP -: + 81 72 727 2499; + 81 29 852 9999

Notruf - NZ -: 0800 764 766

Notruf - PK - : + 92 21 9920509; + 92 21 35686535

Notruf - PH -: + 632 524 10 78; + 632 544 84 00; local 2311

Notruf - SA -: + 966 146 77 353, + 966 3 8155 646; Ext. 280, 282, 283

Notruf - TH - : + 66 201 1086 Notruf - UAE - : 800 424 Notruf - ZA - : + 27 824 910 160

## **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

#### · 2.2 Label elements

### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 3)



Page 3/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 2)

#### · Hazard pictograms



GHS02

#### · Signal word Danger

#### · Hazard-determining components of labelling:

Distillates (petroleum), hydrotreated light

#### · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

#### · 2.3 Other hazards

### · Results of PBT and vPvB assessment

· <u>PBT:</u> Not applicable. · **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 64742-47-8 Distillates (petroleum), hydrotreated light 25-50%

Reg.nr.: 01-2119456620-43-XXXX

CAS: 106-97-8 butane 2.5-10%

CAS: 68608-26-4 sulfonic acids, petroleum, sodium salts ≥2.5-<10%

Reg.nr.: 01-2119527859-22-XXXX \$\text{\$\text{\$\text{Skin Irrit. 2, H315; Eye Irrit. 2, H319}}\$

CAS: 123-95-5 butyl stearate ≤2%

EINECS: 204-666-5 substance with a Community workplace exposure

limit

(Contd. on page 4)



Page 4/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 3)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information: Seek medical treatment.
- · After inhalation:

Take affected persons into fresh air and keep quiet.

Seek medical treatment in case of complaints.

- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed

Nausea

Headache

Dizziness

Gastric or intestinal disorders

- · **Hazards** Danger of pneumonia.
- 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

Later observation for pneumonia and pulmonary oedema.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Foam

Fire-extinguishing powder

CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

- 5.3 Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

· Additional information Cool endangered receptacles with water spray.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.



Page 5/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 4)

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

#### Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Use explosion-proof apparatus / fittings and spark-proof tools.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

#### · 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

### · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

#### Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

## Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

Do not seal receptacle gas tight.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

(Contd. on page 6)



Page 6/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 5)

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 74-98-6 propane

NES (Australia) Asphyxiant WES (Australia) Asphyxiant

WES (New Zealand) Simple asphyxiant; may present an explosion hazard

CAS: 106-97-8 butane

WEL (Great Britain) Short-term value: 1810 mg/m³, 750 ppm

Long-term value: 1450 mg/m³, 600 ppm Carc (if more than 0.1% of buta-1.3-diene)

NES (Australia) Long-term value: 1900 mg/m³, 800 ppm WES (Australia) Long-term value: 1900 mg/m³, 800 ppm WES (New Zealand) Long-term value: 1900 mg/m³, 800 ppm

CAS: 123-95-5 butyl stearate

WES (New Zealand) Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Respiratory protection:

Filter A/P2

Filter AX

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

#### Protection of hands:

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore (Contd. on page 7)

in page



Page 7/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 6)

to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

## **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Appearance:

Form: Aerosol Clear

Odour: CharacteristicOdour threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/freezing point: -60 °C (-76 °F)
Initial boiling point and boiling range: 195 °C (383 °F)

· Flash point: Not applicable, as aerosol.

Flammability (solid, gas): Not applicable.
 Ignition temperature: 210 °C (410 °F)
 Decomposition temperature: Not determined.

· <u>Auto-ignition temperature:</u> Product is not selfigniting.

· **Explosive properties:** Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Explosion limits:

**Lower:** 0.5 Vol % **Upper:** 6.5 Vol %

· Vapour pressure at 20 °C (68 °F): 2 hPa (1.5 mm Hg)

Density at 20 °C (68 °F): 0.83 g/cm³ (6.92635 lbs/gal)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

(Contd. on page 8)



Page 8/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 7)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

<u>Dynamic at 20 °C (68 °F):</u> 3.9 mPas **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 20.5 % Solids content: 2.0 %

• 9.2 Other information No further relevant information available.

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions Danger of bursting.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide
Carbon dioxide

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 106-97-8 butane

Inhalative LC50/4 h 658 mg/l (rat) **CAS: 123-95-5 butyl stearate** 

Oral LD50 32,000 mg/kg (rat)

- · Primary irritant effect:
- Skin corrosion/irritation

Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich.

Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 9)



Page 9/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 8)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- HP 3 Flammable

HP 5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

- · 14.1 UN-Number
- · ADR/RID/ADN, IMDG, IATA

UN1950



Page 10/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 9)

· 14.2 UN proper shipping name

1950 AEROSOLS, MARINE POLLUTANT/ ADR/RID/ADN **ENVIRONMENTALLY HAZARDOUS** 

· IMDG **AEROSOLS** 

·IATA AEROSOLS, flammable

· 14.3 Transport hazard class(es)

· ADR/RID/ADN



2 5F Gases. · Class

· Label 2.1

· IMDG, IATA



· Class 2.1 · Label 2.1

· 14.4 Packing group

· ADR/RID/ADN, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: NEIN No

· 14.6 Special precautions for user

Danger code (Kemler):

EMS Number:

F-D,S-U

SW1 Protected from sources of heat. · Stowage Code

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of

· Segregation Code 1 litre: Segregation as for class 9. Stow "separated

Warning: Gases.

from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as

for the appropriate subdivision of class 2.

(Contd. on page 11)



Page 11/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 10)

· 14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR/RID/ADN

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

• Transport category 2
• Tunnel restriction code D

·IMDG

· Limited quantities (LQ) 1L

• Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/

**ENVIRONMENTALLY HAZARDOUS** 

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

Department issuing SDS: Abteilung Produktsicherheit

Contact: siehe Seite 1 / see page 1

(Contd. on page 12)



Page 12/12

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.06.2020 Version number 6 Revision: 07.06.2020

Trade name: BRUNOX® Turbo-Spray® (AEROSOL) 500ML - Versionen

(Contd. of page 11)

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases - Category 1

Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas

Acute Tox. 3: Acute toxicity - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

\* \* Data compared to the previous version altered.