Article Print c Versic	date:	107 26.12.2022 3.0	BLENDA-MIX Misch-Pasten Revision date: 10.12.2022 EN Issue date: 10.12.2022 Page 1 / 7
SEC	TION 1: Id	entification of th	e substance/mixture and of the company/undertaking
1.1.		lentifier (manufacturer/sup ne/designation	plier) 107 BLENDA-MIX Misch-Pasten wässerig
1.2.	Relevant i	dentified uses of	the substance or mixture and uses advised against
1.3.	Details of	the supplier of the	e safety data sheet
	Knuchel Farben + L Steinacker	arben AG .acke	orter/downstream user/distributor) Telephone: +41 (0) 32 636 50 40 Telefax: +41 (0) 32 636 50 45
	Departme laboratory	nt responsible for Manager	
	-	mpetent person)	info@knuchel.ch
1.4.	-	cy telephone number y telephone number	
SEC	TION 2: H	azards identifica	tion
2.1.		tion of the substa	
	The mixtur Skin Sens	re is classified as ha 1 / H317	Regulation (EC) No 1272/2008 [CLP]azardous according to regulation (EC) No 1272/2008 [CLP].Respiratory or skin sensitisationMay cause an allergic skin reaction.
2.2.	Label eler		
			ulation (EC) No. 1272/2008 [CLP]
	Hazard pie	Warning	
	Hazard st H317		use an allergic skin reaction.
		nary statements	
	P101 P102 P103 P261	If medi Keep c Read c Avoid I	cal advice is needed, have product container or label at hand. out of reach of children. carefully and follow all instructions. oreathing vapours.
	P272 P280 P302 + P3 P333 + P3 P362 + P3	Wear p 52 IF ON 13 If skin 64 Take o	ninated work clothing should not be allowed out of the workplace. protective gloves and eye/face protection. SKIN: Wash with plenty of soap and water. irritation or rash occurs: Get medical advice/attention. ff contaminated clothing and wash it before reuse.
		mponents for lab MIT (2- 1,2-be	-methyl-(2H)-isothiazol-3-one) nzisothiazol-3(2H)-one
	Suppleme EUH211	ental hazard inform Warnir	nation Ig! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
2.3.	Other haz		
	No informa	ation available.	
SEC	TION 3: C	omposition/info	mation on ingredients
3.2.	Mixtures		
0.2.	Descriptio	on waterb	orne preparation, containing the following hazardous substances:

Descriptionwaterborne preparation, containing the following hazardous substances:Classification according to Regulation (EC) No 1272/2008 [CLP]

cle No.: t date: sion:	107 26.12.2022 3.0	BLENDA-MIX Misch-Pasten Revision date: 10.12.2022 Issue date: 10.12.2022	EN Page 2 / 7	
EC No. CAS No. Index No	. Class	CH No. gnation sification: // Remark		weight-%
500-016-2 9004-98-2	2 Polyc	oxyethylene (10) oleyl ether Irrit. 2 H315 / Aquatic Acute 1 H400		1 - 5
220-120-5 2634-33-5 613-088-6	5 1,2-b 00-6 Acute H317	enzisothiazol-3(2H)-one e Tox. 4 H302 / Skin Irrit. 2 H315 / Ey / / Aquatic Acute 1 H400 ific concentration limit (SCL): Skin Sens.		0.01 - 0.05
220-239-6 2682-20-4 613-326-0	4 MIT (00-9 Acute 1B H (M =	2-methyl-(2H)-isothiazol-3-one) e Tox. 2 H330 / Acute Tox. 3 H311 / A 314 / Eye Dam. 1 H318 / Skin Sens. 1/ 10) / Aquatic Chronic 1 H410 (M = 1) / ific concentration limit (SCL): Skin Sens.	A H317 / Aquatic Acute 1 H400 EUH071	0.001 - 0.005

Additional information

SECTION 4: First aid measures

Full text of classification: see section 16

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

- 4.2. **Most important symptoms and effects, both acute and delayed** In all cases of doubt, or when symptoms persist, seek medical advice.
- 4.3. Indication of any immediate medical attention and special treatment needed
- First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Article No.:	107	BLENDA-MIX Misch-Pasten	
Print date:	26.12.2022	Revision date: 10.12.2022	EN
Version:	3.0	Issue date: 10.12.2022	Page 3 / 7

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (TRGS 727)".

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Use only respiratory protection equipment with CE-symbol including four digit test number.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time: > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

e**ction** tatic clothing of natural fibers (cotton) or heat resistant sy

Article No.:	107	BLENDA-MIX Misch-Pasten		
Print date:	26.12.2022	Revision date: 10.12.2022	EN	
Version:	3.0	Issue date: 10.12.2022	Page 4 / 7	

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state:	Liquid
	Colour:	refer to label
	Odour:	characteristic
	Odour threshold:	not applicable
	Melting point/freezing point:	not applicable
	Initial boiling point and boiling range:	100 °C
		Source: PH EN 501166 GEFBEZ@tr4000
	Flammability	not applicable
	Lower and upper explosion limit:	
	Lower explosion limit:	not applicable
	Upper explosion limit:	not applicable
	Flash point:	not applicable
	Auto-ignition temperature:	not applicable
	Decomposition temperature:	not applicable
	pH at 20 °C:	not applicable
	Cinematic viscosity (40°C):	< 700 mm²/s
	Viscosity: at 20 °C:	850 - 1150 mPas
	Solubility(ies):	
	Water solubility at 20 °C:	partially soluble
	Partition coefficient: n-octanol/water:	see section 12
	Vapour pressure at 20 °C:	23 mbar
		Source: PH EN 501166 GEFBEZ@tr4000
	Density and/or relative density: Density at 20 °C:	1.69 g/cm³
	-	-
	Relative vapour density:	not applicable
0.0	particle characteristics:	not applicable
9.2.	Other information	
	Solid content:	77 weight-%
	solvent content:	0 weight %
	Organic solvents: Water:	0 weight-% 23 weight-%
050		
SEC	TION 10: Stability and reactivity	

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

Article No.:	107	BLENDA-MIX Misch-Pasten		
Print date:	26.12.2022	Revision date: 10.12.2022	EN	
Version:	3.0	Issue date: 10.12.2022	Page 5 / 7	

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2. Information on other hazards

Endocrine disrupting properties No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. **Bioaccumulative potential** Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

Article No.: Print date: Version:	107 26.12.2022 3.0	BLENDA-MIX Misch-Pasten Revision date: 10.12.2022 Issue date: 10.12.2022	EN Page 6 / 7	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080111* Waste paint and varnish containing organic solvents or other dangerous substances *Hazardous waste according to Directive 2008/98/EC (waste framework directive).

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

		not applicable
14.2.	UN proper shipping name	
14.3.	Transport hazard class(es)	
		not applicable
14.4.	Packing group	
		not applicable
14.5.	Environmental hazards	
	Land transport (ADR/RID)	not applicable
	Marine pollutant	not applicable
116	Special pressutions for user	

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC-value (in g/L): 0

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive 92/85/EEC or stricter national regulations, if applicable.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC) or stricter national regulations, if applicable.

15.2. Chemical Safety Assessment

Article No.:	107	BLENDA-MIX Misch-Pasten	
Print date:	26.12.2022	Revision date: 10.12.2022	EN
Version:	3.0	Issue date: 10.12.2022	Page 7 / 7

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Full text of classification in	n section 3:	
Skin Irrit. 2 / H315	Skin corrosion/irritation	Causes skin irritation.
Aquatic Acute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic organisms.
Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.
Skin Sens. 1 / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
Acute Tox. 2 / H330	Acute toxicity (inhalative)	Fatal if inhaled.
Acute Tox. 3 / H311	Acute toxicity (dermal)	Toxic in contact with skin.
Acute Tox. 3 / H301	Acute toxicity (oral)	Toxic if swallowed.
Skin Corr. 1B / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.
Skin Sens. 1A / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
Aquatic Chronic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.

Classification procedure

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP] Skin Sens. 1 Respiratory or skin sensitisation Calculation method.

Abbreviations and acronyms

	For a construction of the second s
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
OEL	Occupational Exposure Limit Value
BLV	Biological Limit Value
CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic and Reprotoxic
DIN	German Institute for Standardization / German industrial standard
DNEL	Derived No-Effect Level
EAKV	European Waste Catalogue Directive
EC	Effective Concentration
EC	European Community
EN	European Standard
IATA-DGR	International Air Transport Association – Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
	Goods by Air
IMDG Code	International Maritime Code for Dangerous Goods
ISO	International Organization for Standardization
LC	Lethal Concentration
LD	Lethal Dose
MARPOL	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships
OECD	Organisation for Economic Cooperation and Development
PBT	persistent, bioaccumulative, toxic
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
UN	United Nations
VOC	Volatile Organic Compounds
vPvB	very persistent and very bioaccumulative

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.