Article Print o Versio	date:	201 26.12.2022 3.0	CREAPAD PU-WandtafelfarbeRevision date: 10.12.2022ENIssue date: 10.12.2022Page 1 / 7				
SEC	TION 1: Id	entification of the	e substance/mixture and of the company/undertaking				
1.1.		lentifier (manufacturer/supp e/designation	blier) 201 CREAPAD PU-Wandtafelfarbe MV: 10/1 mit 922				
1.2.	Relevant i	dentified uses of tl	he substance or mixture and uses advised against				
1.3.	Details of	the supplier of the	safety data sheet				
	Knuchel Fa Farben + L Steinacker	arben AG acke	orter/downstream user/distributor) Telephone: +41 (0) 32 636 50 40 Telefax: +41 (0) 32 636 50 45				
	laboratory E-mail (cor	npetent person)	info@knuchel.ch				
1.4.		y telephone number					
SEC	TION 2: Ha	azards identificat	tion				
2.2.	 Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. Label elements Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms 						
	Hazard sta	not appl	licable				
	Precaution P101 P102 P103	nary statements If medic Keep ou	cal advice is needed, have product container or label at hand. ut of reach of children. arefully and follow all instructions.				
	Hazard co	mponents for labe not appl					
	EUH208	ntal hazard inform Contain 2-methy	nation Is 1,2-benzisothiazol-3(2H)-one; reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and yl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.				
0.0	EUH210	•	data sheet available on request.				
2.3.	Other haz	ards Ition available.					
050							
		omposition/infor	mation on ingredients				
3.2.	Mixtures						
	Descriptio Classifica EC No. CAS No. Index No.	tion according to F REACH Designa					

not applicable

Article No.: Print date: Version:	201 26.12.2022 3.0	CREAPAD PU-Wandtafelfarbe Revision date: 10.12.2022 Issue date: 10.12.2022	EN Page 2 / 7
Vereien.	0.0	10000 0010. 10.12.2022	1 490 2 7 1

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, carbon dioxide, Powder, spray mist, (water)

Unsuitable extinguishing media

strong water jet

5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area. Do not breathe vapours.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.

6.3. Methods and material for containment and cleaning up Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to section 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

Article No.:	201	CREAPAD PU-Wandtafelfarbe	
Print date:	26.12.2022	Revision date: 10.12.2022	EN
Version:	3.0	Issue date: 10.12.2022	Page 3 / 7

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Keep container tightly closed. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values:

not applicable

8.2. Exposure controls

Provide good ventilation. This can be achieved with local or room suction.

Personal protection equipment

Respiratory protection

Not applicable.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material 0,4 mm Breakthrough time: 30 min

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes.

Body protection

Wear suitable protective clothing and gloves.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	Liquid refer to label
Odour:	characteristic
Odour threshold:	not applicable
Melting point/freezing point:	not applicable
Initial boiling point and boiling range:	100 °C Source: PH EN 501166 GEFBEZ@tr4000
Flammability	not applicable
Lower and upper explosion limit: Lower explosion limit: Upper explosion limit:	0.8 Vol-% not applicable
Flash point:	not applicable

Article N Print dat /ersion:	ite:	201 26.12.2022 3.0	CREAPAD PU- Revision date: 7 Issue date: 10.1	0.12.2022	EN Page 4 / 7	
A	Auto-igniti	on temperature:		393 °C		
					cid, monoester with 2,2,4-trimethylpentane-1,3-diol	
0	Decompos	ition temperature	:	not applicable		
p	pH at 20 °C	:		not applicable		
C	Cinematic	viscosity (40°C):		> 700 mm²/s		
v	Viscosity a	t 20 °C:		2100 - 2500 mPas		
	Solubility(i	•				
	Water solu	ıbility at 20 °C:		partially soluble		
F	Partition co	pefficient: n-octa	nol/water:	see section 12		
V	Vapour pre	essure at 20 °C:		23 mbar Source: PH EN 501	166 GEFBEZ@tr4000	
	Density and Density at	d/or relative dens 20 °C:	ity:	1.22 g/cm³		
F	Relative va	pour density:		not applicable		
p	particle cha	aracteristics:		not applicable		
9.2. C	Other infor	mation			*	
S	Solid conte	ent:		46 weight-%		
s	solvent co	ntent:				
	Organic solvents:			2 weight-%		
	Water:			52 weight-%		

No information available.

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

10.5. Incompatible materials

not applicable

10.6. Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation; Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Article No.:	201	CREAPAD PU-Wandtafelfarbe		
Print date:	26.12.2022	Revision date: 10.12.2022	EN	
Version:	3.0	Issue date: 10.12.2022	Page 5 / 7	

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. **Persistence and degradability** Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

14.1. UN number or ID number

Article Print d Versio	ate:	201 26.12.2022 3.0	CREAPAD PU-Wandtafelfarbe Revision date: 10.12.2022 Issue date: 10.12.2022	EN Page 6 / 7			
			not applicable				
14.2.	UN prop	er shipping name					
1/1 2	Transno	rt hazard class(es)					
14.5.	папэро		not applicable				
14.4.	Packing	group					
			not applicable				
14.5.		nental hazards					
		sport (ADR/RID)	not applicable				
	Marine po		not applicable				
14.6.		precautions for use					
	case of a	Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage. Advices on safe handling: see parts 6 - 8					
	Further i	nformation					
	Land trai	nsport (ADR/RID)					
		striction code	-				
	Sea trans	sport (IMDG)					
	EmS-No.	,	not applicable				
14.7.	Maritime	transport in bulk	according to IMO instruments				
	No transp	oort as bulk accordin	ng IBC - Code.				
SEC	TION 15:	Regulatory infor	mation				
15.1.	Safetv. h	ealth and environr	nental regulations/legislation specific f	or the substance or mixture			
	EU legisl						
	Directive		dustrial emissions [Industrial Emissions	s Directive]			
	National	regulations					
		ons of occupation					
	Observe applicable		ctions under the Maternity Protection Di	irective 92/85/EEC or stricter national regulations, if			
	Observe			venile work protection guideline' (94/33/EC) or stricter			
15.2.		I Safety Assessme safety assessment	ent is for substances in this mixture were not c	carried out.			
SEC	TION 16 :	Other information	n				
	Abbrevia	tions and acronyn	ns				
	ADR	Europ	ean Agreement concerning the Internation	al Carriage of Dangerous Goods by Road			
	OEL		pational Exposure Limit Value				
	BLV CAS	•	ical Limit Value ical Abstracts Service				
	CLP		fication, Labelling and Packaging				
	CMR		nogenic, Mutagenic and Reprotoxic				
	DIN		an Institute for Standardization / German ir	adustrial standard			
	DNEL		ed No-Effect Level				
	EAKV		ean Waste Catalogue Directive				
	EC		ive Concentration				
	EC		ean Community				
			ean Community				

- EN European Standard
- IATA-DGR International Air Transport Association Dangerous Goods Regulations

IBC CodeInternational Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in BulkICAO-TIInternational Civil Aviation Organization Technical Instructions for the Safe Transport of Dangerous
Goods by Air

Article No.: Print date: Version:	201 26.12.2022 3.0	CREAPAD PU-Wandtafelfarbe Revision date: 10.12.2022 Issue date: 10.12.2022	EN Page 7 / 7				
IMDG Code		onal Maritime Code for Dangerous (
ISO		onal Organization for Standardizatio	n				
LC		Lethal Concentration Lethal Dose					
LD	Lethal D						
MARPOL	Maritime	Maritime Pollution: The International Convention for the Prevention of Pollution from Ships					
OECD	Organis	Organisation for Economic Cooperation and Development					
PBT	persiste	persistent, bioaccumulative, toxic					
PNEC	Predicte	Predicted No Effect Concentration					
REACH	Registra	tion, Evaluation, Authorisation and I	Restriction of Chemicals				
RID	Regulati	ons concerning the International Ca	rriage of Dangerous Goods by Rail				
UN	United N	lations					
VOC	Volatile	Organic Compounds					
vPvB	very per	sistent and very bioaccumulative					

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version