
FACKELMANN

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.10.2022



- The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



Signal word Danger


(Contd. on page 2)

EU

Version number 1

Revision: 19.10.2022

Trade name: Gas-Refill / MP Gas-Refill



· Description: Mixture consisting of the following components.

· Dangerous components:

CAS: 68476-85-7 EINECS: 270-704-2 Reg.nr.: 01-2119485911-31-X

Petroleum gases, liquefied Plam, Gas 1A, H220; Press, Gas (Comp.), H280

50 - 100%

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
 - General information No special measures required.
 - · After inhalation
 - Provide fresh air. Keep victims quiet and warm.
 - Seek medical treatment in case of complaints.
 - · After skin contact

In cases of freeze burns, rinse with plenty of water. Do not remove clothing. After frost burns flush at least 15 minutes with water. Cover sterile, consult doctor.

(Contd. on page 3)

٠EU

Version number 1

Revision: 19.10.2022

(Contd. from page 2)

Trade name: Gas-Refill / MP Gas-Refill

· After eye contact

Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.

Remove contact lenses if possible.

Call a doctor immediately.

· After swallowing Swallowing is not considered to be a possible way of exposure.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents
 - CO₂, extinguishing powder or water spray. Fight larger fires with water spray.
 - · For safety reasons unsuitable extinguishing agents Water with a full water jet.

· 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures. Can be released in case of fire: Carbon monoxide (CO)

- 5.3 Advice for firefighters
 - Protective equipment:
 - Use a breathing apparatus that is independent of circulating air when being in closed rooms. • Additional information
 - Remove goods in stock from incendiary zone, if possible.
 - Use water to keep fire exposed containers cool.

Extinguish leaking gas flame only if it is absolutely necessary. A spontaneous explosive re-ignition is possible.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Keep away from sources of ignition - No smoking.

- 6.2 Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling
 Store in cool, dry place in tightly closed containers.
 Keep away from heat and direct sunlight.

 Avoid contact with eyes and skin.
 Use only in well ventilated areas.
 • Information about protection against explosions and fires:
 Beware: Container is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use.
 Keep ignition sources away - Do not smoke.

(Contd. on page 4)

EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.10.2022

Version number 1

Revision: 19.10.2022

Trade name: Gas-Refill / MP Gas-Refill

(Contd. from page 3) · 7.2 Conditions for safe storage, including any incompatibilities · Storage · Requirements to be met by storerooms and containers: Store in cool location. Store only in the original container. · Information about storage in one common storage facility: Keep away from food, drink and animal feeding stuffs. • Further information about storage conditions: Store in cool, dry conditions in a well ventilated area. · 7.3 Specific end use(s) No further relevant information available. SECTION 8: Exposure controls/personal protection · 8.1 Control parameters Components with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. 68476-85-7 Petroleum gases, liguefied WEL (Great Britain) Short-term value: 2180 mg/m³, 1250 ppm Long-term value: 1750 mg/m³, 1000 ppm Carc (if LPG contains > 0.1% of buta-1.3-diene) · 8.2 Exposure controls Individual protection measures, such as personal protective equipment General protective and hygienic measures The usual precautionary measures should be adhered to general rules for handling chemicals. · Breathing equipment: Not required. · Hand protection Use gloves of stable material (i.e. nitril rubber). Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye/face protection Safety glasses recommended if possibility of liquid splashes exists. SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties **General Information** · Colour: Colourless · Odour: Characteristic • Melting point/freezing point: Not determined · Boiling point or initial boiling point and -42 - 0 °C boiling range · Lower and upper explosion limit · Lower: 1.9 Vol % · Upper: 9.6 Vol % · Flash point: -96 - -60 °C > 287 °C · Ignition temperature: · Decomposition temperature: Not determined. · SADT

Not determined.

· pH

(Contd. on page 5)

EU

Version number 1

Revision: 19.10.2022

Trade name: Gas-Refill / MP Gas-Refill

	(Contd. from page	
· Viscosity:		
 Kinematic viscosity 	Not determined.	
· dynamic:	Not determined.	
· Solubility		
· Water:	< 0.1 g/l	
 Vapour pressure at 20 °C: 	1200 - 7500 hPa	
Density and/or relative density		
· Density	0.5 - 0.58 g/cm³	
· Relative gas density	1.55 - 2.08 (Luft = 1)	
9.2 Other information		
· Appearance:		
· Form:	Liquefied gas	
 Important information on protection of 		
health and environment, and on safety.		
• Explosive properties:	Product is not explosive. However, formation of	
	explosive gas-/air mixtures is possible.	
 Information with regard to physical hazard classes 	1	
· Explosives	Void	
· Flammable gases	Void	
· Aerosols		
Extremely flammable aerosol. Pressurised of	container: May burst if heated.	
· Oxidising gases	Void	
· Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
• Self-heating substances and mixtures	Void	
• Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- **Thermal decomposition** / **conditions to be avoided:** Danger of bursting at temperatures above 50 °C. Avoid direct sunlight, heat and ignition sources.
- 10.3 Possibility of hazardous reactions Forms explosive gas mixture with air
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Avoid contact with strong oxidizing agents.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 6)

EU

Version number 1

Revision: 19.10.2022

Trade name: Gas-Refill / MP Gas-Refill

(Contd. from page 5)

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity* Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met. **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential Does not accumulate in organisms
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- · 12.7 Other adverse effects
 - Additional ecological information:
 - General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

The waste code numbers mentioned are recommendations based on the probable use of the product.

· European waste catalogue		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST	
16 05 00	gases in pressure containers and discarded chemicals	
16 05 04*	gases in pressure containers (including halons) containing hazardous substances	
HP3	Flammable	

· Uncleaned packagings:

· Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

(Contd. on page 7)

EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.10.2022

Version number 1

Revision: 19.10.2022

Trade name: Gas-Refill / MP Gas-Refill

(Contd. from page 6)

Empty containers are to be introduced to the scrap processing and/or to the reconditioning. Packing drums which are not duly emptied belong to hazardous waste.

 14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA 	UN1950
 14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA 	1950 AEROSOLS AEROSOLS
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN	
· Class	2 5F Gases.
· Label · IMDG, IATA	2.1
· Class · Label	2 Gases. 2.1
 14.4 Packing group ADR/RID/ADN, IMDG, IATA 	Void
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Kemler Number: EMS Number: Stowage Code 	Warning: Gases. - F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of livir quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capaci of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.

Version number 1

Revision: 19.10.2022

Trade name: Gas-Refill / MP Gas-Refill

	(Contd. from page 7)
• Transport/Additional information:	
· ADR/RID/ADN	
Limited quantities (LQ)	1L
 Excepted quantities (EQ) 	Code: E0 Not permitted as Excepted Quantity
 Transport category 	2
Tunnel restriction code	D
· IMDG	
 Limited quantities (LQ) 	1L
 Excepted quantities (EQ) 	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 - · Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.
 - · Seveso category P3a FLAMMABLE AEROSOLS
 - · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
 - REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
 - DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases

H220 Extremely flammable gas.

(Contd. on page 9)

⁻ EU

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.10.2022

Version number 1

Revision: 19.10.2022

Trade name: Gas-Refill / MP Gas-Refill

H280 C	Contains gas under pressure; may explode if heated.	(Contd. from page 8)
· Departm	nent issuing data specification sheet:	
DEKRA	This Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Ha phone: (+49) 511 42079 - 0, reach@dekra.com.	anover, Germany,
by DEKR • <i>Abbrevia</i> ADR: Acco Concerning IMDG: Inter IATA: Inter GHS: Globa EINECS: E ELINCS: EI CAS: Chem PBT: Persia SVHC: Sub vPvB: very Flam. Gas Aerosol 1: /	© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH. • Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases – Category 1A Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure – Compressed gas	