

Breathing Protection

13.01.2020

Product data sheet uvex silv-Air 5200 FFP2 NR D - small



Product information

T		
Particle-filtering folding mask with exhalation valve		
Protection level FFP2		
 Ergonomically adapted for smaller to medium-sized face shapes 		
 Innovative design with optimized shape 		
 Soft material edges for high wearing comfort 		
 Continuous head band (adjustable) for a comfortable and secure fit 		
The masks are individually packed		
Flexible and adjustable nose clip		
Compatible with uvex safety eyewear		
Soft sealing lip (nose area) guarantees a secure,		
comfortable sealed position of the mask		
Mask fulfils the requirements of the dolomite dust test (D)		
Headband: textile		
Adjustment piece: silicone		
Nose clip: aluminum		
Filter/mask: Melt blown PP, Polyester		
Sealing lip: PVC		
12 g		
EN 149:2001 + A1:2009		

Versions

Article number	Colour/Version	Retail unit
8765.200	Folding mask FFP2, white without valve,	30 pcs. per box
	small to medium version	
8775.200	Folding mask FFP2, white without valve,	3 pcs. per box
	small to medium version	
8765.201	Folding mask FFP2, white without valve,	30 pcs. per box
	large version	

Date: 13.01.2020 Page 1 of 2

Areas of use*

The respiratory protection mask can be used against solid, aqueous and non-volatile liquid aerosols up to **10 times** the respective limit values.

Woodworking, softwood, cement, metal, smog, fine dust, concrete, iron dust, ash, cotton dust, fluoride, carbon fibres, gypsum, fibre glass, copper, nickel, soot, pollen, house dust, pet hair.

*Please note that the above mentioned areas of use are examples only. The selection of PPE needs to be carried out by a competent person, in conjunction with relevant and current legislation.

Uvex accepts no liability for any possible harm or damage which may result from this information. This data sheet does not replace a detailed risk assessment nor seeking specialist advise.

UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

Date: 13.01.2020 Page 2 of 2